CAN19774 S.L.C.

116TH CONGRESS 1ST SESSION	S. RES.	
Designating Septem	aber 2019 as "National Month".	Brain Aneurysm Awareness

## IN THE SENATE OF THE UNITED STATES

Mr. Markey (for himself and Mrs. Hyde-Smith) submitted the following resolution; which was referred to the Committee on \_\_\_\_\_

## **RESOLUTION**

Designating September 2019 as "National Brain Aneurysm Awareness Month".

- Whereas saccular, fusiform, and dissecting aneurysms are bulging, weakened areas in the wall of an artery in the brain;
- Whereas an estimated 1 out of every 50 individuals in the United States has a brain aneurysm;
- Whereas brain aneurysms are most likely to occur in individuals between the ages of 35 and 60;
- Whereas there are typically no warning signs before the occurrence of a brain aneurysm;
- Whereas brain aneurysms are more likely to occur in women than in men by a 3 to 2 ratio;

CAN19774 S.L.C.

- Whereas young and middle-aged African Americans have a higher risk of brain aneurysm rupture compared to young and middle-aged Caucasians in the United States;
- Whereas the combined lost wages of survivors of a brain aneurysm rupture and their caretakers for 1 year is an estimated \$149,936,118;
- Whereas various risk factors can contribute to the formation of a brain aneurysm, including smoking, hypertension, and a family history of brain aneurysms;
- Whereas an unruptured brain aneurysm can lead to double vision, vision loss, loss of sensation, weakness, loss of balance, incoordination, and speech problems;
- Whereas a brain aneurysm is often discovered when it ruptures and causes a subarachnoid hemorrhage;
- Whereas a subarachnoid hemorrhage can lead to brain damage, hydrocephalus, stroke, and death;
- Whereas, each year, more than 30,000 individuals in the United States suffer from ruptured brain aneurysms, approximately 50 percent of whom die as a result;
- Whereas, annually, between 3,000 and 4,500 individuals in the United States with ruptured brain aneurysms die before reaching the hospital;
- Whereas a number of advancements have been made in recent years regarding the detection of brain aneurysms, including the computerized tomography scan, the magnetic resonance imaging test, and the cerebral arteriogram;

Whereas early detection of brain aneurysms can save lives;

CAN19774 S.L.C.

Whereas, as of 2019, various research studies are being conducted in the United States in order to better understand, prevent, and treat brain aneurysms;

- Whereas the Brain Aneurysm Foundation, a nonprofit organization, remains a globally recognized leader for brain aneurysm awareness, education, support, advocacy, and research funding; and
- Whereas the month of September is an appropriate month to designate as "National Brain Aneurysm Awareness Month": Now, therefore, be it
  - 1 Resolved, That the Senate—
  - 2 (1) designates September 2019 as "National
  - 3 Brain Aneurysm Awareness Month"; and
  - 4 (2) continues to support research to prevent,
  - 5 detect, and treat brain aneurysms.